

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : A23K 1/175, 1/00, C01B 25/34	A1	(11) International Publication Number: WO 00/24268 (43) International Publication Date: 4 May 2000 (04.05.00)
(21) International Application Number: PCT/SE99/01827 (22) International Filing Date: 11 October 1999 (11.10.99) (30) Priority Data: 9803478-8 13 October 1998 (13.10.98) SE (71) Applicant (for all designated States except US): KEMIRA KEMI AB [SE/SE]; P.O. Box 902, S-251 09 Helsingborg (SE). (72) Inventors; and (75) Inventors/Applicants (for US only): PERSSON, Lars [SE/SE]; Alegatan 26, S-256 56 Helsingborg (SE). OLSSON, Leif [SE/SE]; Ultunagatan 27, S-256 67 Helsingborg (SE). (74) Agent: AWAPATENT AB; P.O. Box 5117, S-200 71 Malmö (SE).		(81) Designated States: AE, AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), DM, EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>In English translation (filed in Swedish).</i>
(54) Title: PROCESS FOR PREPARATION OF NUTRITIONAL SUPPLEMENT FOR ANIMALS (57) Abstract The present invention relates to a process for preparation of a granular composition, which comprises magnesium and phosphorus. In the process, magnesium oxide is granulated with addition of a granulating liquid, which contains phosphoric acid and water. According to the invention, the granulating liquid, besides phosphoric acid and water, also contains sulphuric acid.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

PROCESS FOR PREPARATION OF NUTRITIONAL
SUPPLEMENT FOR ANIMALS

The present invention relates to a process for preparation of a nutritional supplement for animals. More specifically, the present invention relates to a process for preparation of a granular composition, which comprises magnesium and phosphorus, magnesium oxide being
5 granulated with addition of a granulating liquid, which contains phosphoric acid and water.

Currently, a number of different nutritional supplements for animals are available, which comprise magnesium
10 and phosphorus and are provided in granulates.

The inconvenience of today's compositions resides in that the magnesium availability and the physical stability of the granulate vary, and these two parameters tend to be mutually counteracting. As a result, a composition
15 having a high degree of physical stability often has a low degree of magnesium availability, whereas compositions having a high degree of magnesium availability have a low degree of physical stability.

It is important for the compositions to have a high
20 degree of stability. Otherwise the composition will easily lose its physical form during transport and crumble into a powder. The powder form makes the composition difficult to handle since the composition produces dust, which is unhealthy to both humans and animals when handling and
25 feeding it to animals.

Moreover, it is important for economic reasons that the composition should have as high a degree of magnesium availability as possible in order to be able to minimise the amount of the composition which must be added to the
30 feeding stuff.

US-A-4,996,065 discloses a binding agent for pelleting and compressing feeding stuff. The binding agent comprises a chemically reactive mixture of a reactive

phosphate source, which can be phosphoric acid, and a reactive metal hydroxide or a reactive metal salt, which can be MgO.

US-A-4,160,041 discloses a process for preparation
5 of a solid nutritional supplement in which use is made of the spontaneous reaction between a metal oxide, e.g. MgO, and a water-soluble phosphate, e.g. phosphoric acid, to convert the product into solid form.

US-A-5,019,148 discloses a stepwise process for
10 preparation of a homogenous mineral granulate. This is achieved by a co-reaction between acids and bases, which have the property of forming a liquid binding agent, which hardens after a determined time to form a strong granulate-binding cement. As examples of acids may be
15 mentioned any member of the group consisting of phosphoric acid, acetic acid, oxalic acid, sulphuric acid, citric acid and polyphosphoric acid. Examples of bases are hydroxides, oxides and carbonates of alkali metals and alkaline earth metals.

EP-A1-175,805 discloses the preparation of feeding
20 stuff phosphate having a low fluorine content and a high degree of phosphoric availability. A phosphorus-containing base material, such as apatite, is treated with a defluorinating agent by grinding, briquetting and heating
25 the mixture at 1000-1450°C, after which the melt is cooled and granulated with water and compressed air. After the granulation, the prepared granules are treated with a mixture of phosphoric acid and sulphuric acid and wet ground to a particle size of 200 µm maximum and
30 dried, which results in a powder.

EP-A2-360,600 discloses the preparation of licking
stones for the distribution of minerals to domestic animals. It comprises the step of producing a block, which contains a carbohydrate material, such as molasses, a
35 phosphate material in particle form, an acid, such as sulphuric acid, and an oxide or a hydroxide of an alkaline earth metal, such as magnesium oxide. The addition

of sulphuric acid is intended to bring the phosphoric compounds to a form which is more available to the animals.

One object of the present invention is to provide
5 a process for preparation of a composition of magnesium and phosphorus, said composition having a high degree of stability, yet a high degree of magnesium availability.

Other objects, features and advantages of the present invention will appear from the description below.

10 These objects are achieved by means of a process according to appended claim 1. Particularly preferred embodiments are stated in the dependent claims.

In summary, the present invention relates to a process for preparation of a granular composition, which
15 comprises magnesium and phosphorus. In the process, magnesium oxide is granulated with addition of a granulating liquid, which contains phosphoric acid and water. According to the invention, the granulating liquid, besides phosphoric acid and water, also contains sulphuric acid.

20 The advantage of the present invention is that the process provides a granulate containing magnesium and phosphorus and having both a high degree of stability and a high degree of magnesium availability.

A suitable phosphoric acid content in the granulating liquid is more than 40 % by weight, determined as P_2O_5 . By increasing the phosphoric acid content in the granulating liquid, the magnesium solubility increases, i.e. the amount of magnesium from which the animals benefit increases.

30 A suitable sulphuric acid content in the granulating liquid is more than 0.3 % by weight, determined as SO_4 . The addition of sulphuric acid to the granulating liquid results in a product having a higher degree of magnesium availability and a better stability than a product, which
35 has been prepared without the addition of sulphuric acid in the granulation. The ratio of concentrations of phosphoric acid to sulphuric acid is preferably in the range

of 3:1-200:1, and the total concentration of phosphoric acid and sulphuric acid in the granulating liquid is preferably more than 53 % by weight, determined as P_2O_5 and SO_4 , respectively.

- 5 Below, preferred embodiments will be described by means of a few examples and series of tests. They should not be considered to limit the scope of the present invention.

10 In the evaluations stated below, the Mg solubility has been measured according to a method referred to as the Klooster method. The Klooster method is carried out in the following manner:

15 150 mg of the composition is suspended in 350 ml of a buffer solution (K_2HPO_4/KH_2PO_4) at 39°C and pH=6.5. Acetic acid (0.2 mole) is automatically added by means of an automatic buret (Radiometer, ABU 11) when the pH of the solution increases as a consequence of the dissolution of magnesium. In this manner, pH is maintained at 6.5. A recording apparatus (Radiometer, Titigraph SBR3) continuously records the amount of added acetic acid. After 20 1.5 h, the concentration of magnesium in the solution (atomic absorption) is measured and the magnesium content of the solution is calculated.

25 Moreover, in the evaluations below the stability was determined in the following manner:

30 The stability was tested in a rotating V-shaped cylinder. 200 g granules with a granular fraction of 1.4-0.25 mm were placed in the cylinder together with 5 ceramic balls having a diameter of 30 mm. The cylinder was rotated at 30 rpm for 10 min, after which the sample of the test material was screened once again and the amount of crushed product was indicated in per cent.

35 A number of tests were carried out in which the amount of water added to the granulating liquid was varied. The results appear from Table 1. The variations in the added amount of water appear from the greater or smaller amount of added % P_2O_5 .

Table 1. Comparison with the amount of added water

% P ₂ O ₅ ¹⁾	% Mg	% P	% S	Mg sol. ²⁾	Stabil. ³⁾
40	31.5	9.7	0	25	8.0
50	28.7	12.5	0	52	5.9
40	31.5	9.7	2	63	7.7
50	28.7	12.5	2	81	5.7
38	28.1	10.0	4	72	5.0
47	25.9	11.6	4	84	3.3

¹⁾ Phosphoric acid content of the granulating liquid expressed as P₂O₅.

5 ²⁾ Mg solubility % relative according to the Klooster method.

³⁾ Stability expressed as % disintegration.

10 As indicated in the Table, the Mg solubility increases with a decreasing amount of added water, which in turn corresponds to a greater amount of added phosphoric acid expressed as % P₂O₅.

15 In connection with the above tests, also the amount of sulphuric acid which was added to the granulating liquid was varied, which is here expressed as the amount of sulphur in the granulating product. The connection between Mg solubility and the amount of added sulphuric acid is shown in Table 2.

20 Table 2. Comparison with different additions of sulphuric acid.

% P ₂ O ₅ ¹⁾	% Mg	% P	% S	Mg sol. ²⁾	Stabil. ³⁾
50	28.7	12.5	0	52	5.9
50	27.6	11.7	2	81	4.8
47	26.1	11.7	4	84	3.5

¹⁾ Phosphoric acid content of the granulating liquid expressed as P₂O₅.

25 ²⁾ Mg solubility % relative according to the Klooster method.

³⁾ Stability expressed as % disintegration.

As appears from the Table, the Mg solubility increases with an increasing amount of added sulphuric acid, and furthermore the stability of the product is maintained. In fact, there is no upper limit of the amount of added sulphuric acid, but the product gets a bitter taste if the sulphuric acid content becomes too high. However, concentrations ranging up to about 5 % S in the product are convenient, but subsequently the bitter taste of sulphur begins to stand out from the other flavouring agents.

Example 1

150 g magnesium oxide was charged into a drum granulator. Furthermore, 160 g phosphoric acid (58.7 % P_2O_5) was added together with 15 g sulphuric acid as granulating liquid. In the granulating liquid, the phosphoric acid had a concentration of 53.7 %, calculated as P_2O_5 , and the sulphuric acid 8.1 %, calculated as SO_4 . A product having the following values was obtained:

Table 3.

% Mg	% P	% S	Mg sol. ¹⁾	Stabil. ²⁾	Fine fract. ³⁾
26.6	13.2	1.5	78	4.1	1

¹⁾ Mg solubility % relative according to the Klooster method.

²⁾ Stability expressed as % disintegration.

³⁾ Fine fraction after storage, % fraction < 0.25 mm.

Example 2

150 g magnesium oxide was charged into a drum granulator, after which 110 g phosphoric acid (58.7 % P_2O_5) was added. After complete addition of the phosphoric acid, 17 g sulphuric acid (37.0 % SO_4) and 26 g water were added. A product having the following values was obtained:

Table 4.

% Mg	% P	% S	Mg sol. ¹⁾	Stabil. ²⁾	Fine fract. ³⁾
30.4	9.9	2.2	53	6.8	2

¹⁾ Mg solubility % relative according to the Klooster method.

5 ²⁾ Stability expressed as % disintegration.

³⁾ Fine fraction after storage, % fraction < 0.25 mm.

The Mg solubility is not as great in this product as in the one in Example 1. This is due to the smaller
10 amount of added phosphoric acid in this example, i.e. the amount of added water has not been minimised to the utmost possible extent.

It is, however, possible to add the sulphuric acid and phosphoric acid of the granulating liquid separately
15 instead of together as one single granulating liquid, as in Example 1.

Finally, in Table 5 a product according to Example 1 has been compared with another prior-art product containing magnesium and phosphorus.

20

Table 5. A comparison of a prior-art product with a product from an embodiment of the present invention.

Product	% Mg	% P	% S	Mg sol. ¹⁾	Stabil ²⁾	Fine fract. ³⁾
TESSENDERLO ⁴⁾	29.5	13.4	0	67	10.5	23
New product ⁵⁾	26.6	13.2	1.5	78	4.2	1

¹⁾ Mg solubility % relative according to the Klooster
25 method.

²⁾ Stability expressed as % disintegration.

³⁾ Fine fraction after storage, % fraction < 0.25 mm.

⁴⁾ Commercial product from Hydro Agri.

⁵⁾ A product according to the present invention.

30

As appears from the Table, a product prepared by the process according to the present invention has an excellent Mg solubility at the same time as the product has a satisfactory stability.

CLAIMS

1. A process for preparation of a granular composition, which comprises magnesium and phosphorus, magnesium oxide being granulated with addition of a granulating liquid, which contains phosphoric acid and water, characterised in that the granulating liquid also contains sulphuric acid.

2. A process as claimed in claim 1, characterised in that the concentration of the phosphoric acid in the granulating liquid is more than 40 % by weight, determined as P_2O_5 , and that the concentration of the sulphuric acid in the granulating liquid is more than 0.3 % by weight, determined as SO_4 .

3. A process as claimed in claim 1 or 2, characterised in that the total concentration of phosphoric acid and sulphuric acid in the granulating liquid is more than 53 % by weight, determined as P_2O_5 and SO_4 , respectively.

4. A process as claimed in any one of the preceding claims, characterised in that the ratio of concentrations of phosphoric acid to sulphuric acid is in the range of 3:1-200:1.

5. A process as claimed in any one of the preceding claims, characterised in that the phosphoric acid and the sulphuric acid and water are mixed together to form a granulating liquid, and that the granulating liquid is subsequently added to the magnesium oxide in a granulator device.

6. A process as claimed in any one of claims 1-4, characterised in that the phosphoric acid, the sulphuric acid and water are added separately to the magnesium oxide in a granulator device.

7. Use of phosphoric acid together with sulphuric acid in preparing a granulate containing the nutritive substances magnesium and phosphorus.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 99/01827

A. CLASSIFICATION OF SUBJECT MATTER

IPC7: A23K 1/175, A23K 1/00, C01B 25/34

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: A23K, C01B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5019148 A (WILLIAM P. MOORE), 28 May 1991 (28.05.91) --	1-7
A	EP 0155251 A1 (BOLIDEN AKTIEBOLAG), 18 Sept 1985 (18.09.85) --	1-7
A	EP 0090995 A1 (HOECHST AKTIENGESSELLSCHAFT), 12 October 1983 (12.10.83) --	1-7
A	EP 0175805 A1 (VASIPARI KUTATO ES FEJLESZTÖ VALLALAT), 2 April 1986 (02.04.86) -----	1-7

☐ Further documents are listed in the continuation of Box C.
 ☒ See patent family annex.

* Special categories of cited documents

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to underpin the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

25 January 2000

Date of mailing of the international search report

11 -02- 2000

Name and mailing address of the ISA/

Swedish Patent Office

Box 5055, S-102 42 STOCKHOLM

Facsimile No. +46 8 666 02 86

Authorized officer

Eva Johansson/EÖ

Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT
Information on patent family members

02/12/99

International application No.
PCT/SE 99/01827

Patent document cited in search report			Publication date	Patent family member(s)	Publication date
US	5019148	A	28/05/91	NONE	
<hr/>					
EP	0155251	A1	18/09/85	AT 32649 T	15/03/88
				CA 1257068 A	11/07/89
				DE 3561681 A	07/04/88
				DK 104385 A	14/09/85
				DK 161558 B,C	22/07/91
				FI 80823 B,C	30/04/90
				FI 850981 A	14/09/85
				SE 441564 B,C	21/10/85
				SE 8401400 A	14/09/85
				US 4686105 A	11/08/87
<hr/>					
EP	0090995	A1	12/10/83	SE 0090995 T3	
				AT 13244 T	15/06/85
				DE 3212325 A	06/10/83
				DK 149283 A	03/10/83
				ES 521123 A	01/01/84
<hr/>					
EP	0175805	A1	02/04/86	SE 0175805 T3	
				AT 36110 T	15/08/88
<hr/>					